



PROTECTION CHOICES PEOPLE
MAKE GREEN WORK

Overnight Delivery

February 27, 2015

U.S. Environmental Protection Agency
Ariel Rios Building
Mail Code 2254A
1200 Pennsylvania Avenue, N.W.
Washington, D.C. 20460
Attn: International Compliance Assurance Division

Dear Sir/Madam:

This letter is in regard to CFR 262.56, Exporting of Hazardous Waste. Safety-Kleen Systems, Inc. (SKSI) located at 633 E. 138th Street, Dolton, IL 60419 (EPA ID # ILD980613913) is reporting that no wastes were exported in Calendar year 2014. SKSI does not have any current export authorizations at this time.


If you have any questions, please feel free to contact me at (630) 854-2549.

Sincerely,

A handwritten signature in blue ink, appearing to read "J. R. Laubsted".

James R. Laubsted
Sr. Facility Compliance Manager

Cc: Illinois Environmental Protection Agency, Via Overnight Delivery



633 East 138th Street | Dolton, IL 60419

708.225.8143 | 847.468.6662 (f) | Safety-Kleen Systems Inc. | A Clean Harbors Company | Safety-Kleen.com

Waste Minimization

Safety-Kleen Systems, Inc., (SKSI) is a treatment, storage, and disposal facility for a variety of hazardous wastes. Quantities of hazardous wastes are consolidated prior to treatment and disposal at off-site facilities. Safety-Kleen Systems, Inc. does not actually produce the hazardous wastes that are accepted or shipped from the facility, but SKSI is considered to be "generator" of any hazardous waste that undergoes consolidation at the facility.


For the purposes of waste minimization, SKSI undertakes the following measures:

- (a). Bulking of similar solid and liquid wastes;
- (b). Segregating non-regulated, non-hazardous wastes from hazardous wastes;
- (c). Crushing and shredding empty drums to reduce the actual volume of of hazardous waste solids requiring landfilling;
- (d). Efficiently packing smaller containers within a transport drum or DOT shipping box as to maximize the quantity of wastes per shipping container while minimizing the quantity of non-hazardous solids (absorbents) needed to fill any unused capacity and;
- (e). Controlling the quantity of absorbent material applied to spilled liquids in order to minimize the resultant quantity of contaminated solids requiring disposal.

In addition to these source reduction measures, it is SkSI's policy to identify and utilize, where technically feasible and economically advantageous, waste treatment and recycling options to detoxify and or reuse hazardous wastes to the maximum extent practical.

Certification

I certify under penalty of law that I have personally examined and am familiar with the information submitted in this and all attached documents, and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the submitted information is true, accurate and complete. I am aware that there are significant penalties for submitting false information including the possibility of fine and imprisonment.


James R. Laubsted, Facility Compliance Manager

2/27/15

Date

